

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/776,658	. 02/11/2004	Stephen O. Bozzone	7463-36 CE12125JME	3381
30448 7590 01/09/2007 AKERMAN SENTERFITT P.O. BOX 3188 WEST PALM BEACH, FL 33402-3188			EXAMINER [*]	
			SOBUTKA, PHILIP	
			ART UNIT	PAPER NUMBER
			2618	
_				
SHORTENED STATUTORY	PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE	
2 MON	ITUC	01/09/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

	Application No.	Applicant(s)				
Office Action Commons	10/776,658	BOZZONE ET AL.				
Office Action Summary	Examiner	Art Unit				
	Philip J. Sobutka	2618				
The MAILING DATE of this communical Period for Reply	tion appears on the cover sheet w	ith the correspondence address				
A SHORTENED STATUTORY PERIOD FOR WHICHEVER IS LONGER, FROM THE MAII - Extensions of time may be available under the provisions of 3 after SIX (6) MONTHS from the mailing date of this communi - If NO period for reply is specified above, the maximum statute - Failure to reply within the set or extended period for reply will Any reply received by the Office later than three months after earned patent term adjustment. See 37 CFR 1.704(b).	LING DATE OF THIS COMMUNION OF CFR 1.136(a). In no event, however, may a cation. Dry period will apply and will expire SIX (6) MON, by statute, cause the application to become AB	CATION. reply be timely filed ITHS from the mailing date of this communication. BANDONED (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed	nn.					
	⊠ This action is non-final.					
<u>'=</u>	ters, prosecution as to the morits is					
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
	and Expanto quayio, 1000 oil	, 100 0.0.210.				
Disposition of Claims						
4) Claim(s) 1-20 is/are pending in the app	☑ Claim(s) <u>1-20</u> is/are pending in the application.					
4a) Of the above claim(s) is/are	4a) Of the above claim(s) is/are withdrawn from consideration.					
5) Claim(s) is/are allowed.	Claim(s) is/are allowed.					
6)⊠ Claim(s) <u>1-20</u> is/are rejected.	☑ Claim(s) <u>1-20</u> is/are rejected.					
7) Claim(s) is/are objected to.) Claim(s) is/are objected to.					
8) Claim(s) are subject to restriction	n and/or election requirement.	•				
Application Papers						
9) The specification is objected to by the E	Examiner.					
10)⊠ The drawing(s) filed on <u>11 February 2004</u> is/are: a)⊠ accepted or b)□ objected to by the Examiner.						
Applicant may not request that any objection						
Replacement drawing sheet(s) including th						
11) The oath or declaration is objected to b						
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for a) All b) Some * c) None of:	foreign priority under 35 U.S.C. §	§ 119(a)-(d) or (f).				
	aumonto hava haan reesived					
	 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 					
3. Copies of the certified copies of		received in this National Stage				
application from the Internationa	` ''					
* See the attached detailed Office action f	or a list of the certified copies not	received,				
	•					
Attachment(s)						
1) Notice of References Cited (PTO-892)	4) 🔲 Interview S	Summary (PTO-413)				
2) Notice of Draftsperson's Patent Drawing Review (PTO		s)/Mail Date				
3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 2/11/04.	6) Other:	nformal Patent Application				

DETAILED ACTION

Specification

1. The title of the invention is not descriptive. A new title is required that is clearly indicative of the invention to which the claims are directed.

Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 3. Claims 1-6,14-17, and 20 are rejected under 35 U.S.C. 102(b) as being anticipated by Erkkila et al (US 6,219,560)

Consider claim 1. Erkkila teaches a modular wireless communication module, comprising:

a transceiver (Erkkila see figure 5, item 59) coupled to a processor (Erkkila see figure 5, item 51) and memory (Erkkila see figure 5, item 53); and

an interface block coupled to the processor (Erkkila see figure 5, item 50),

wherein the processor is programmed to operate in accordance with an identifier signal received from at least one among a plurality of host devices (note that the claimed "host" devices are in fact merely attached devices such as camera, game controller, or MP3 player as described in instant paragraph 29 of the instant specification. Note that Erkkila in contrast refers to the wireless module as the "host" device rather than the attachments) each having different user interfaces (Erkkila

Art Unit: 2618

teaches the attached devices including identifying information for example on column 6, lines 6-30).

As to claim 2, Erkkila teaches the modular wireless communication module of claim 1, wherein the module further comprises a digital signal processor coupled to the processor (Erkkila see figure 5, item 52).

As to claim 3, Erkkila teaches the modular wireless communication module of claim 1, wherein the module further comprises a display coupled to the processor (Erkkila see figure 5, item 55).

As to claim 4, Erkkila teaches the modular wireless communication module of claim 3, wherein the display presents content associated with a given host device among the plurality of host devices (Erkkila see column 6, lines 1-6. Note that the claimed "host" devices are in fact merely attached devices such as camera, game controller, or MP3 player as described in instant paragraph 29 of the instant specification. Note that Erkkila in contrast refers to the wireless module as the "host" device rather than the attachments).

As to claim 5, Erkkila teaches the modular wireless communication module of claim 1, wherein the processor controls the operation of a given host device once coupled to the given host device (Erkkila see column 6, lines 1-6. Note that the claimed "host" devices are in fact merely attached devices such as camera, game controller, or MP3 player as described in instant paragraph 29 of the instant specification. Note that Erkkila in contrast refers to the wireless module as the "host" device rather than the attachments).

Art Unit: 2618

As to claim 6, Erkkila teaches the modular wireless communication module of claim 1, wherein the module further comprises an antenna coupled to the transceiver (Erkkila see figure 5).

Consider claim 14. Erkkila teaches an adaptable communication module, comprising:

a radio communication transceiver (*Erkkila see figure 5, item 59*) having a processor (*Erkkila see figure 5, item 51*) programmed to operate with and control a plurality of different host devices having different user interfaces (*Erkkila discusses the plurality of devices that can be controlled for example on column 6, lines 1-38. Note that the claimed "host" devices are in fact merely attached devices such as camera, game controller, or MP3 player as described in instant paragraph 29 of the instant specification. Note that <i>Erkkila in contrast refers to the wireless module as the "host" device rather than the attachments*); and

an interface block coupled to the processor for detecting at least one among the plurality of host devices interfaces (*Erkkila teaches the attached devices including identifying information for example on column 6, lines 6-30*).

As to claim 15, Erkkila teaches the adaptable communication module of claim 14, wherein the adaptable communication module further comprises a presentation device coupled to the processor for presenting information associated with the adaptable communication module and a given host device among the plurality of host devices (Erkkila see column 6, lines 1-6. Note that the claimed "host" devices are in fact merely

Art Unit: 2618

attached devices such as camera, game controller, or MP3 player as described in instant paragraph 29 of the instant specification. Note that Erkkila in contrast refers to the wireless module as the "host" device rather than the attachments).

As to claim 16, Erkkila teaches the adaptable communication module of claim 15, wherein the presentation device is selected from among a display and a speaker (Erkkila see figure 5).

As to claim 17, Erkkila teaches the adaptable communication module of claim 14, wherein the plurality of host devices each includes an interface block for interfacing with the interface block of the adaptable communication module devices (*Erkkila see figures* 6,7, item 60. Note that the claimed "host" devices are in fact merely attached devices such as camera, game controller, or MP3 player as described in instant paragraph 29 of the instant specification. Note that Erkkila in contrast refers to the wireless module as the "host" device rather than the attachments).

Consider claim 20. Erkkila teaches a method of reusing a modular wireless communication module among a plurality of different host devices, comprising:

selectively coupling the modular wireless communication module with a first host device (Erkkila see column 6, lines 1-6. Note that the claimed "host" devices are in fact merely attached devices such as camera, game controller, or MP3 player as described in instant paragraph 29 of the instant specification. Note that Erkkila in contrast refers to the wireless module as the "host" device rather than the attachments) having a first

Art Unit: 2618

user interface (Erkkila teaches the attached devices having their own interfaces for example on column 4, lines 42-61, column 5, lines 1-15);

recognizing the first host device to enable a processor within the modular wireless communication module to control the first host device and the first user interface (Erkkila teaches the attached devices including identifying information for example on column 4, lines 13-25, column 6, lines 6-30);

selectively coupling the modular wireless communication module with at least a second host device having a second user interface (*Erkkila see column 4, lines 13-62, column 6, lines 1-6*); and

recognizing the second host device to enable the processor within the modular wireless communication module to control the second host device and the second user interface (Erkkila teaches the attached devices including identifying information for example on column 4, lines 13-25, column 6, lines 6-30).

Claim Rejections - 35 USC § 103

- 4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 5. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein

Art Unit: 2618

were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

6. Claims 7-12, and 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Erkkila in view of Barber (US 6,029,072)

Consider claim 7. Erkkila teaches a modular communication system, comprising: a modular wireless communication module having a transceiver (Erkkila see figure 5, item 59) coupled to a processor (Erkkila see figure 5, item 51) and memory (Erkkila see figure 5, item 53) and

a first interface block coupled to the processor (Erkkila see figure 5, item 50); a host device (Erkkila see column 6, lines 1-6. Note that the claimed "host" devices are in fact merely attached devices such as camera, game controller, or MP3 player as described in instant paragraph 29 of the instant specification. Note that Erkkila in contrast refers to the wireless module as the "host" device rather than the attachments) having a user interface (Erkkila teaches the attached devices having their own interfaces for example on column 4, lines 42-61, column 5, lines 1-15), and a second interface block,

wherein the host device is one among a plurality of host devices having different user interfaces and the processor is adaptable to control the different user interfaces

Art Unit: 2618

when the first interface block recognizes the second interface block of a given host device (*Erkkila teaches the attached devices including identifying information for example on column 4, lines 13-25, column 6, lines 6-30*).

Erkkila lacks a teaching of the attached (host) device having its own power source.

Barber teaches attaching devices to a wireless device wherein the attached device has its own power supply (Barber see figures 2,3). Barber teaches using the power supply of the attached device to charge the battery of the wireless module (Barber see column 4, lines 25-50). It would have been obvious to one of ordinary skill in the modify the attached device of Erkkila to have its own power in order to allow the attached device to charge the battery of the wireless module as taught by Barber.

- 8. The modular communication system of claim 7, wherein the modular wireless communication module further comprises a digital signal processor coupled to the processor (*Erkkila see figure 5, item 52*).
- 9. The modular communication system of claim 7, wherein the modular wireless communication module further comprises a display coupled to the processor (*Erkkila* see figure 5, item 55).
- 10. The modular communication system of claim 9, wherein the display presents content associated with a given host device among the plurality of host devices (*Erkkila* see column 6, lines 1-6. Note that the claimed "host" devices are in fact merely attached devices such as camera, game controller, or MP3 player as described in instant

paragraph 29 of the instant specification. Note that Erkkila in contrast refers to the wireless module as the "host" device rather than the attachments).

- 11. The modular communication system of claim 7, wherein the processor controls the operation of a given host device once coupled to the given host device (Erkkila see column 4, line 15 column 5, line 6, column 6, lines 1-6).
- 12. The modular communication system of claim 7, wherein the module further comprises an antenna coupled to the transceiver (*Erkkila see figure 5*).

Consider claim 19. Erkkila teaches a host device (Erkkila see column 6, lines 1-6. Note that the claimed "host" devices are in fact merely attached devices such as camera, game controller, or MP3 player as described in instant paragraph 29 of the instant specification. Note that Erkkila in contrast refers to the wireless module as the "host" device rather than the attachments) for mating with a modular wireless communication module having a first interface block (Erkkila see figure 5, item 50) and a transceiver (Erkkila see figure 5, item 59) coupled to a processor (Erkkila see figure 5, item 51), comprising:

a user interface (Erkkila teaches the attached devices having their own interfaces for example on column 4, lines 42-61, column 5, lines 1-15); and

a second interface block (*Erkkila see figure 6,7, item 60*), wherein the host device is one among a plurality of host devices having different user interfaces controlled by the processor when the first interface block recognizes the second interface block of the

host device (Erkkila teaches the attached devices including identifying information for example on column 4, lines 15 - column 5, line 15, column 6, lines 6-30).

Erkkila lacks a teaching of the attached (host) device having its own power source.

Barber teaches attaching devices to a wireless device wherein the attached device has its own power supply (Barber see figures 2,3). Barber teaches using the power supply of the attached device to charge the battery of the wireless module (Barber see column 4, lines 25-50). It would have been obvious to one of ordinary skill in the modify the attached device of Erkkila to have its own power in order to allow the attached device to charge the battery of the wireless module as taught by Barber.

7. Claim 13 is rejected under 35 U.S.C. 103(a) as being unpatentable over Erkkila.

Consider claim 13. Erkkila teaches the modular communication system of claim 7, but lacks a teaching of wherein a given host device among the plurality of host devices is selected from the group of a monolith phone, a flip phone, a wristwatch communicator, a camera phone, a video phone, a qwerty key-board host device, a pendant-shaped host device, an MP3 player device, a heart rate monitor, a game controller host, a toy, a stroller, and a crib (note that the claimed "host" devices are in fact merely attached devices such as camera, game controller, or MP3 player as described in instant paragraph 29 of the instant specification. Note that Erkkila in contrast refers to the wireless module as the "host" device rather than the attachments. Note also that Erkkila envisions that the wireless module could be used with a variety of

Art Unit: 2618

devices as described in column 2, lines 33-40, column 3, lines 5-20, column 4, lines 39-61, column 9, lines 25-55).

Official Notice is taken that it is known to attach all of the claimed devices to a wireless transceiver. Therefore it would have been obvious to one of ordinary skill in the art to modify Erkkila to attach the claimed devices in order to provide the attached device with wireless capabilities.

8. Claim 18 is rejected under 35 U.S.C. 103(a) as being unpatentable over Erkkila in view of Barber.

Consider claim 18. Erkkila in view of Barber teaches the adaptable communication module of claim 14, but lacks a teaching of wherein a given host device among the plurality of host devices is selected from the group of a monolith phone, a flip phone, a wristwatch communicator, a camera phone, a video phone, a qwerty keyboard host device, a pendant-shaped host device, an MP3 player sport device, a heart rate monitor, a game controller host, a toy, a stroller, and a crib (note that the claimed "host" devices are in fact merely attached devices such as camera, game controller, or MP3 player as described in instant paragraph 29 of the instant specification. Note that Erkkila in contrast refers to the wireless module as the "host" device rather than the attachments. Note also that Erkkila envisions that the wireless module could be used with a variety of devices as described in column 2, lines 33-40, column 3, lines 5-20, column 4, lines 39-61, column 9, lines 25-55).

Art Unit: 2618

Official Notice is taken that it is known to attach all of the claimed devices to a wireless transceiver. Therefore it would have been obvious to one of ordinary skill in the art to modify Erkkila to attach the claimed devices in order to provide the attached device with wireless capabilities.

Conclusion

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Philip J Sobutka whose telephone number is 571-272-7887. The examiner can normally be reached Monday through Friday from 8:30 - 5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matthew D. Anderson can be reached on 571-272-4711.

10. The central fax phone number for the Office is 571-273-8300.

Most facsimile-transmitted patent application related correspondence is required to be sent to the Central FAX Number.

CENTRALIZED DELIVERY POLICY: For patent related correspondence, hand carry deliveries must be made to the Customer Service Window (now located at the Randolph Building, 401 Dulany Street, Alexandria, VA 22314), and facsimile transmissions must be sent to the Central FAX number, unless an exception applies. For example, if the examiner has rejected claims in a regular U.S. patent application, and the reply to the examiner's Office action is desired to be transmitted by facsimile rather than mailed, the reply must be sent to the Central FAX Number.

11. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR.

Art Unit: 2618

Page 13

Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

PHILIP J. SOBUTKA
PATENT EXAMINER

Philip J Sobutka

(571) 272-7887